PRODUCT OFFERING

PLUG VALVES
FITTINGS
FLOWLINE
CHOKES
MANIFOLDS
PUMPS/FLUID ENDS

+1.361.494.7205 jgrecu@diwmsi.com diwmsi.com



THE HIGHEST QUALITY AND SAFEST FLOW CONTROL EQUIPMENT.

GO TEXAN.®

QUALITY

MSI maintains the most comprehensive world-wide recognized quality management systems. Our API License Number: 6A0001.1 (that's correct, MSI earned the first API 6A license!) is a testament to our commitment to quality with **100% complete traceability.**


MSI & 3RD PARTY CERTIFICATION

MSI provides DNV-GL, BV, and ABS Independent Review Certification (IRC) and Certificates of Product Conformity (COPC) through agreements with DNV-GL, Bureau Veritas, and the American Bureau of Shipping. These partnerships enable accredited third parties to assess product design, manufacturing, and testing for compliance with stress-level standards and design requirements.

CLICK HERE TO VIEW MSI'S ACTIVE QUALITY CERTIFICATIONS

FIRST API 6A LICENSE EVER ISSUED

MSI exceeds API 6A hydrostatic testing requirements by pressure-testing every assembly we manufacture to 1.5× working pressure before it leaves our facility.



MSI **SAFETY IS NOT OPTIONAL.**





SAFE-Weight

Lo-Torq Style

MSI SAFE-WEIGHT VALVES



- Available in Standard & Sour (H2S) Service
- Custom Connections Available
- Up to PSL 3 and PR 2





DNV

TYPE-APPROVED

DESCRIPTION	LENGTH (INCHES)	WEIGHT (LBS.)	PART NAMES
VALVE-316, 1" x 2" 1502 STD 15M	10.56	33	316A-1S2U-M-3
VALVE-316, 1" x 2" 1502 STD 15M (HYD ACT)	10.56	77.7	316A-1S2U-H875-1
VALVE-316, 2" x 2" 1502 STD 15M	10.56	51	316A-2S2U-M-3
VALVE-316, 2" x 2" 1502 STD 15M	13.88	56	316A-2S2U-M-6
VALVE-316, 2" x 2" 1502 STD 15M (HYD ACT)	10.56	91	316A-2S2U-H875-1
VALVE 316, 2" x 2" 1502 STD 15M (HYD ACT)	13.88	94	316A-2S2U-H875-3
VALVE-316, 3" x 3" 1502 STD 15M	13.88	150	316A-3S3U-M-6
VALVE-316, 3" x 3" 1502 STD 15M	17.00	162	316A-3S3U-M-17
VALVE-316, 3" x 3" 1502 STD 15M (GEAR-OP)	17.00	264	316A-3S3U-G4000-17
VALVE-316, 3" x 3" 1502 STD 15M (HYD)	13.88	281	316A-3S3U-H4000-6
VALVE-316, 3" x 3" 1502 STD 15M (HYD)	17.00	281	316A-3S3U-H4000-17


AVAILABLE IN H2S



LARGE BORE VALVES







3" x 3-1/16" 15K GEAR OR HYDRAULIC OPERATED







FLANGE x FLANGE, STUD x FLANGE, AND STUD x STUD VALVES




1" x 2 1/16" Flange Valve



7" 3:16 MSI Plug Valve




7" Gate Valve



7" 3:16 MSI Plug Valve



5" LT Plug Valve


7” 3:16 MSI
PLUG VALVE

DIW AUTOMATION

With 875 ft lbs of torque at 2,000 PSI, our DIW Automation actuator offers a cost-effective and high-performance solution backed by a lifetime warranty.








D
DIW
W
AUTOMATION





SPECIALTY

- **RELIEF VALVES**
- **DART CHECK VALVES**

DESCRIPTION	LENGTH (INCHES)	WEIGHT	PART NAMES
RELIEF VALVE, 2" 1502 FM STD 15M	16.27	52	RVA0001
RELIEF VALVE, 1" 1502 FM STD 15M	16.27	41	RVA0003
DART CHECK VALVE, 2" 1502 STD 15M	11.75	51	DCVA0001
DART CHECK VALVE, 1" 1502 STD 15M	11.56	42	DCVA0002





Available in Standard & Sour (H2S) Service, Custom Connections Available, up to PSL 3

FITTINGS

We support one of the **broadest ranges** of fittings in the field, with over **800+ configurations and counting,** across tees, crosses, elbows, and blank plugs.



XA (Crosses)
199 variations



EA (Elbows)
100 variations




UA (Blank Plugs)
237 variations



TA (Tees)
296 variations




FM



FFM



FMFM



FFFM



FMF



MMM



FMMM



MFM





FMM



ADAPTERS/SPACERS

With nearly 1,000 configurations and counting, MSI likely has a solution ready or can create one tailored to your needs.










FLOWLINE

CONTACT MSI FOR COMPLETE PRODUCT OFFERING

MSI flowline is manufactured using only the highest grade material for standard or H2S service. MSI also adheres to NACE MR-0175 for all H2S service equipment.


CONNECTION	STD SERVICE (WP)	H2S SERVICE (WP)
1" 1502 Union	15,000 PSI	10,000 PSI
2" 1502 Union		
3" 1502 Union		
4" 1502 Union		



CHOKES




DESCRIPTION	PART NUMBER
ADJ CHOKE, 2"1502FM H2S 10M 3/4 MAX	CA0020
ADJ CHOKE, 2"1502FM STD 15M 3/4 MAX	CA0021
ADJ CHOKE, 3"1502FM H2S 10M 2" MAX	CA0035
ADJ CHOKE, 3"1502FM H2S 15M 2" MAX	CA0070
POS CHOKE, 3"1502FM STD 15M 2"MAX	CA0071
ADJ CHOKE, 3"1502FM STD 15M 2"MAX (HYD)	CA0195
POS CHOKE, 2"1502FM STD 15M	CA0022







MANIFOLDS

CHOKE MANIFOLD 3" 1502







CONTACT MSI FOR COMPLETE PRODUCT OFFERING





DUAL CHOKE MANIFOLD
3" 1502 DUAL





TRASH CATCHER MANIFOLD 2" x 3" 1502

MSI HYBRID PUMPS

TIH-600




TIH-600 PUMP




600HP FLUID END



FRACTURING, ACIDIZING, CEMENTING, WELL CONTROL, AND CIRCULATING OPERATIONS




QIH-1000



QIH-1500

FLUID ENDS & SPARES


In addition to our own line of fluid ends, MSI offers fluid ends for non-MSI pumps, pump consumables, and tools. All replacement components meet the industry's highest quality standards.



1000HP



1500HP



Hybrid Fluid End Components







90+ YEARS OF SERVICE AND COUNTING




MSI



JOHN GRECU

+1.361.494.7205 | jgrecu@diwmsi.com